CRF Errors Edited by the STIC Systems Branch

erial	Number: 0799300 CRF Edit De Edited by:	ntc: 10-12-04
<u> </u>	Realigned nucleic acid/amino acid numbers/text in cases wher text "wrapped" to the next line	re the sequence
	Corrected the SEQ ID NO. Sequence numbers edited were:	1
	Inserted or corrected a nucleic number at the end of a nucleic h	inc. SEQ ID
	Ocleted:	ENTERED
1	nserted mandatory headings/numeric identifiers, specifically:	
1, <u>.</u> -	foved responses to same line as heading/humeric identifier, spe	cifically:
(ther:	
_		

Revised 09/09/2003



IFWO

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/799,320C

DATE: 10/12/2004 TIME: 14:42:20

Input Set : A:\pto.kd.txt

Output Set: N:\CRF4\10122004\J799320C.raw

```
4 <110 > APPLICANT: SAIKAWA, Akira
               IGARI, Yasutaka
                YAMAMOTO, Yoshio
       6
               HATA, Yoshio
       9 <120> TITLE OF INVENTION: Sustained-Release Composition, Methods of its Preparation
 and Use
      10
               Thereof
      12 <130> FILE REFERENCE: 2500 US1P
      14 <140> CURRENT APPLICATION NUMBER: 10/799,320C
      15 <141> CURRENT FILING DATE: 2004-03-12
      17 <150> PRIOR APPLICATION NUMBER: US 09/582,926
      18 <151> PRIOR FILING DATE: 2000-07-05
      20 <150> PRIOR APPLICATION NUMBER: PCT/JP99/00086
      21 <151> PRIOR FILING DATE: 1999-01-13
      23 <150> PRIOR APPLICATION NUMBER: JP 10-6412
      24 <151> PRIOR FILING DATE: 1998-01-16
      26 <160> NUMBER OF SEQ ID NOS: 5
      28 <170> SOFTWARE: PatentIn version 3.2
      30 <210> SEQ ID NO: 1
      31 <211> LENGTH: 10
      32 <212> TYPE: PRT
      33 <213> ORGANISM: artificial sequence
      35 <220> FEATURE:
     36 <223> OTHER INFORMATION: LH-RH peptide derivative/analog
      38 <220> FEATURE:
     39 <221> NAME/KEY: MISC_FEATURE
     40 <222> LOCATION: (1)..(1)
     41 <223> OTHER INFORMATION: 5-oxo-Pro
     43 <220> FEATURE:
     44 <221> NAME/KEY: MISC_FEATURE
     45 <222> LOCATION: (6)..(6)
     46 <223> OTHER INFORMATION: DLeu, DAla, DTrp, DSer(tbut), D2Nal or DHis(ImBzl)
     48 <220> FEATURE:
     49 <221> NAME/KEY: MISC_FEATURE
     50 <222> LOCATION: (9)..(9)
     51 <223> OTHER INFORMATION: Pro or Pro-NH-C2H5
     53 <220> FEATURE:
     54 <221> NAME/KEY: MISC_FEATURE
     55 <222> LOCATION: (10)..(10)
     56 <223> OTHER INFORMATION: Gly-NH2 or nothing
     58 <400> SEQUENCE: 1
W--> 60 Pro His Trp Ser Tyr Xaa Leu Arg Pro Xaa
     61 1
                                             10
     65 <210> SEQ ID NO: 2
```

DATE: 10/12/2004

TIME: 14:42:20

Input Set : A:\pto.kd.txt Output Set: N:\CRF4\10122004\J799320C.raw 66 <211> LENGTH: 11 67 <212> TYPE: PRT 68 <213> ORGANISM: Artificial Sequence 70 <220> FEATURE: 71 <223> OTHER INFORMATION: LH-RH antagonist derivative/analog 73 <220> FEATURE: 74 <221> NAME/KEY: MISC_FEATURE 75 <222> LOCATION: (1)..(1) 76 <223> OTHER INFORMATION: N(4H2-furoyl)Gly or Nac 78 <220> FEATURE: 79 <221> NAME/KEY: MISC_FEATURE 80 <222> LOCATION: (2)..(2) 81 <223> OTHER INFORMATION: D2Nal 83 <220> FEATURE: 84 <221> NAME/KEY: MISC_FEATURE 85 <222> LOCATION: (3)..(3) 86 <223> OTHER INFORMATION: D4ClPhe 88 <220> FEATURE: 89 <221> NAME/KEY: MISC_FEATURE 90 <222> LOCATION: (4)..(4) 91 <223> OTHER INFORMATION: D3Pal 93 <220> FEATURE: 94 <221> NAME/KEY: MISC_FEATURE 95 <222> LOCATION: (6)..(6) 96 <223> OTHER INFORMATION: NMeTyr, Tyr, Aph(Atz) and NMeAph(Atz) 98 <220> FEATURE: 99 <221> NAME/KEY: MISC_FEATURE 100 <222> LOCATION: (7)..(7) 101 <223> OTHER INFORMATION: DLys(Nic), DCit, DLys(AzaglyNic), DLys(AzaglyFur), DhArg (Et2), 102 DAph (Atz), DhCi. 104 <220> FEATURE: 105 <221> NAME/KEY: MISC_FEATURE 106 <222> LOCATION: (9)..(9) 107 <223> OTHER INFORMATION: Lys(Nisp), Arg, hArg(Et2). 109 <220> FEATURE: 110 <221> NAME/KEY: MISC_FEATURE 111 <222> LOCATION: (11)..(11) 112 <223> OTHER INFORMATION: DAlaNH2 115 <400> SEQUENCE: 2 W--> 117 Xaa Xaa Xaa Xaa Ser Xaa Xaa Leu Xaa Pro Xaa 118 1 10 121 <210> SEQ ID NO: 3 122 <211> LENGTH: 8 123 <212> TYPE: PRT 124 <213> ORGANISM: Artificial Sequence 126 <220> FEATURE: 127 <223> OTHER INFORMATION: LH-RH peptide derivative/analog 130 <220> FEATURE: 131 <221> NAME/KEY: MISC FEATURE

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/799,320C

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/799,320C

DATE: 10/12/2004 TIME: 14:42:20

Input Set : A:\pto.kd.txt

Output Set: N:\CRF4\10122004\J799320C.raw

- 132 <222> LOCATION: (1)..(1) 133 <223> OTHER INFORMATION: 5-oxo-Pro 135 <220> FEATURE:
- 136 <221> NAME/KEY: MISC_FEATURE
- 137 <222> LOCATION: (6)..(6)
- 138 <223> OTHER INFORMATION: Dleu
- 140 <220> FEATURE:
- 141 <221> NAME/KEY: MISC_FEATURE
- 142 <222> LOCATION: (8)..(8)
- 143 <223> OTHER INFORMATION: Pro-NH-C2H5
- 145 <400> SEQUENCE: 3

W--> 147 Pro His Trp Ser Tyr Xaa Arg Pro

- 148 1
- 151 <210> SEQ ID NO: 4
- 152 <211> LENGTH: 11
- 153 <212> TYPE: PRT
- 154 <213> ORGANISM: Artificial Sequence
- 156 <220> FEATURE:
- 157 <223> OTHER INFORMATION: LH-RH peptide derivative/analog
- 159 <220> FEATURE:
- 160 <221> NAME/KEY: MISC_FEATURE
- 161 <222> LOCATION: (1)..(1)
- 162 <223> OTHER INFORMATION: N-(S)-tetrahydrofur-2-oyl-Gly
- 164 <220> FEATURE:
- 165 <221> NAME/KEY: MISC_FEATURE
- 166 <222> LOCATION: (2)..(2)
- 167 <223> OTHER INFORMATION: D2Nal
- 169 <220> FEATURE:
- 170 <221> NAME/KEY: MISC_FEATURE
- 171 <222> LOCATION: (3)..(3)
- 172 <223> OTHER INFORMATION: D4ClPhe
- 174 <220> FEATURE:
- 175 <221> NAME/KEY: MISC_FEATURE
- 176 <222> LOCATION: (4)..(4)
- 177 <223> OTHER INFORMATION: D3Pal
- 179 <220> FEATURE:
- 180 <221> NAME/KEY: MISC_FEATURE
- 181 <222> LOCATION: (6)..(6)
- 182 <223> OTHER INFORMATION: NmeTyr
- 184 <220> FEATURE:
- 185 <221> NAME/KEY: MISC_FEATURE
- 186 <222> LOCATION: (7)..(7)
- 187 <223> OTHER INFORMATION: DLys(Nic)
- 189 <220> FEATURE:
- 190 <221> NAME/KEY: MISC_FEATURE
- 191 <222> LOCATION: (9)..(9)
- 192 <223> OTHER INFORMATION: Lys(Nisp)
- 195 <220> FEATURE:
- 196 <221> NAME/KEY: MISC_FEATURE

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/799,320C

DATE: 10/12/2004 TIME: 14:42:20

Input Set : A:\pto.kd.txt

Output Set: N:\CRF4\10122004\J799320C.raw

197 <222> LOCATION: (11)..(11) 198 <223> OTHER INFORMATION: DAlaNH2 200 <400> SEQUENCE: 4 W--> 202 Gly Xaa Xaa Xaa Ser Xaa Xaa Leu Xaa Pro Xaa 203 1 5 206 <210> SEQ ID NO: 5 207 <211> LENGTH: 9 208 <212> TYPE: PRT 209 <213> ORGANISM: Artificial Sequence 211 <220> FEATURE: 212 <223> OTHER INFORMATION: LH-RH peptide derivative/analog 214 <220> FEATURE: 215 <221> NAME/KEY: MISC_FEATURE 216 <222> LOCATION: (1)..(1) 217 <223> OTHER INFORMATION: 5-oxo-Pro 219 <220> FEATURE: 220 <221> NAME/KEY: MISC_FEATURE 221 <222> LOCATION: (6)..(6) 222 <223> OTHER INFORMATION: Dleu 224 <220> FEATURE: 225 <221> NAME/KEY: MISC_FEATURE 226 <222> LOCATION: (9)..(9) 227 <223> OTHER INFORMATION: Pro-NH-C2H5 230 <400> SEQUENCE: 5

W--> 232 Pro His Trp Ser Tyr Xaa Leu Arg Pro

233 1

RAW SEQUENCE LISTING ERROR SUMMARY PATENT APPLICATION: US/10/799,320C

DATE: 10/12/2004 TIME: 14:42:21

Input Set : A:\pto.kd.txt

Output Set: N:\CRF4\10122004\J799320C.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 6,10 ←

Seq#:2; Xaa Pos. 1,2,3,4,8,7,9,11 Seq#:3; Xaa Pos. 6; Seq#:4; Xaa Pos. 2,3,4,8,7,9,11

Seq#:5; Xaa Pos. 6 🗸

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/799,320C

DATE: 10/12/2004 TIME: 14:42:21

Input Set : A:\pto.kd.txt

Output Set: N:\CRF4\10122004\J799320C.raw

L:60 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0 L:117 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0 L:147 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0 L:202 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0 L:232 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0



IFWO

RAW SEQUENCE LISTING

DATE: 10/07/2004

PATENT APPLICATION: US/10/799,320C

28 <170> SOFTWARE: PatentIn version 3.2

TIME: 10:21:25

Input Set : A:\2500uslpSeqRev.txt

Output Set: N:\CRF4\10072004\J799320C.raw

```
4 <110> APPLICANT: SAIKAWA, Akira
             IGARI, Yasutaka
     6
             YAMAMOTO, Yoshio
             HATA, Yoshio
     9 <120> TITLE OF INVENTION: Sustained-Release Composition, Methods of its Preparation
and Use
             Thereof
    12 <130> FILE REFERENCE: 2500 US1P
    14 <140> CURRENT APPLICATION NUMBER: 10/799,320C
    15 <141> CURRENT FILING DATE: 2004-03-12
    17 <150> PRIOR APPLICATION NUMBER: US 09/582,926
    18 <151> PRIOR FILING DATE: 2000-07-05
                                                              was not Cominy
    20 <150> PRIOR APPLICATION NUMBER: PCT/JP99/00086
                                                              my --- and a significant a significant
    21 <151> PRIOR FILING DATE: 1999-01-13
    23 <150> PRIOR APPLICATION NUMBER: JP 10-6412
                                                                   (PJ,1-2)
    24 <151> PRIOR FILING DATE: 1998-01-16
    26 <160> NUMBER OF SEQ ID NOS: 5
```

ERRORED SEQUENCES

```
206 <210> SEQ ID NO: 5
     207 <211> LENGTH: 9
     208 <212> TYPE: PRT
     209 <213> ORGANISM: Artificial Sequence
     211 <220> FEATURE:
     212 <223> OTHER INFORMATION: LH-RH peptide derivative/analog
     214 <220> FEATURE:
     215 <221> NAME/KEY: MISC_FEATURE
     216 <222> LOCATION: (1)..(1)
     217 <223> OTHER INFORMATION: 5-oxo-Pro
     219 <220> FEATURE:
     220 <221> NAME/KEY: MISC FEATURE
     221 <222> LOCATION: (6)..(6)
     222 <223> OTHER INFORMATION: Dleu
     224 <220> FEATURE:
     225 <221> NAME/KEY: MISC_FEATURE
     226 <222> LOCATION: (9)..(9)
     227 <223> OTHER INFORMATION: Pro-NH-C2H5
     230 <400> SEQUENCE: 5
W--> 232 Pro His Trp Ser Tyr Kaa Leu Arg Pro
     233
E--> 239(
```

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/799,320C

DATE: 10/07/2004 TIME: 10:21:26

Input Set : A:\2500us1pSeqRev.txt

Output Set: N:\CRF4\10072004\J799320C.raw

L:60 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:117 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
L:147 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:202 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:232 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:239 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:5